

NAME: [REDACTED] SV125  
ID: [REDACTED]

**BOTH**  
DOB: [REDACTED] 1992 [24]

**N-30-5 FDT Screening**

DATE: 12-08-2016 12:40

TEST SPEED: SLOW



**LEFT EYE**





**RIGHT EYE**

PUPIL DIAMETER:  
VISUAL ACUITY:  
RX:

PUPIL DIAMETER:  
VISUAL ACUITY:  
RX:

**TOTAL DEVIATION**



-  P >= 5%
-  P < 5%
-  P < 2%
-  P < 1%

TEST DURATION: 0:42  
FIXATION TARGET: Central  
FIXATION ERRS: 0/3 (0 %)  
FALSE POS ERRS: 0/3 (0 %)

TEST DURATION: 0:40  
FIXATION TARGET: Central  
FIXATION ERRS: 0/3 (0 %)  
FALSE POS ERRS: 0/3 (0 %)

NOTES:

NOTES:

SW: M02.03.01[0]  
S08.03.05[0]  
P08.03.05[0]  
TID: 320.50000001917 (R1)

**Humphrey Matrix**



NAME: [REDACTED] SV125  
ID: [REDACTED]

RIGHT  
DOB: [REDACTED] 1992 [24]


TEST DURATION: 0:41  
FIXATION TARGET: Central  
FIXATION ERRS: 2/3 (67%)\*  
FALSE POS ERRS: 1/3 (33%)\*

### N-30-5 FDT Screening

TEST SPEED: SLOW

DATE: 12-08-2016 12:36

PUPIL DIAMETER:  
VISUAL ACUITY:  
RX:



NOTES:

SW: M02.03.01[0]  
S08.03.05[0]  
P08.03.05[0]  
TID: 319.50000001917 (1)

Humphrey Matrix

