

NAME: [REDACTED] SV132
ID: [REDACTED]

BOTH
DOB: [REDACTED]-1995 [21]

N-30-5 FDT Screening

DATE: 23-12-2016 11:40

TEST SPEED: SLOW



LEFT EYE

RIGHT EYE

PUPIL DIAMETER:
VISUAL ACUITY:
RX:

PUPIL DIAMETER:
VISUAL ACUITY:
RX:

TOTAL DEVIATION



- P >= 5%
- P < 5%
- P < 2%
- P < 1%

TEST DURATION: 0:42
FIXATION TARGET: Central
FIXATION ERRS: 0/3 (0 %)
FALSE POS ERRS: 0/3 (0 %)

TEST DURATION: 0:41
FIXATION TARGET: Central
FIXATION ERRS: 0/3 (0 %)
FALSE POS ERRS: 0/3 (0 %)

NOTES:

NOTES:



NAME: [REDACTED], SV132
ID: [REDACTED]

LEFT
DOB: [REDACTED] 1995 [21]

N-30-5 FDT Screening


DATE: 23-12-2016 11:43

TEST DURATION: 0:44
FIXATION TARGET: Central
FIXATION ERRS: 0/3 (0 %)
FALSE POS ERRS: 0/3 (0 %)

TEST SPEED: SLOW

PUPIL DIAMETER:
VISUAL ACUITY:
RX:

TOTAL DEVIATION



NOTES:

SW: M02.03.01[0]
S08.03.05[0]
P08.03.05[0]
TID: 420.50000001917 (1)

Humphrey Matrix



NAME: [REDACTED] SV132
ID: [REDACTED]

RIGHT
DOB: [REDACTED] 1995 [21]

TEST DURATION: 0:42
FIXATION TARGET: Central
FIXATION ERRS: 0/3 (0 %)
FALSE POS ERRS: 0/3 (0 %)


N-30-5 FDT Screening

TEST SPEED: SLOW

DATE: 23-12-2016 11:36

PUPIL DIAMETER:
VISUAL ACUITY:
RX:

TOTAL DEVIATION



NOTES:

SW: M02.03.01[0]
S08.03.05[0]
P08.03.05[0]
TID: 418.50000001917 (1)

Humphrey Matrix

